

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with 37 CFR § 1.6(a)(4).

Dated: October 28, 2011

Electronic Signature for Harriet M. Strimpel, D.Phil.: /Harriet M. Strimpel, D.Phil./

Docket No.: CV-E-005-PUS  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Letters Patent of:  
Jan Barnikow et al.

Patent No.: 7,888,090

Issued: February 15, 2011

For: Mutants Of O6-Alkylguanine-Dna  
Alkyltransferase

---

**REQUEST FOR CERTIFICATES OF CORRECTION  
PURSUANT TO 37 C.F.R. § 1.322**

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

In the Specification:

At column 3, line number 18, change "□" to --μ--

At column 3, line number 19, change "□" to --μ--

At column 3, line number 21, change "□" to --μ--

At column 3, line number 30, change "□" to --μ--

At column 3, line number 31, change "□" to --μ--

At column 3, line number 33, change "□" to --μ--

At column 3, line number 35, change "□" to --μ--

At column 4, line number 45, change "□" to --μ--

At column 17, line number 60, change "□I" to --μI-- and change "□M" to --μM--

At column 17, line number 61, change "□" to --μ--

At column 18, line number 9, change "□" to --μ--

At column 19, line number 28, change "□" to --μ--

At column 19, line number 48, change "□" to --μ-- twice

At column 20, line number 67, change "□" to --μ--

At column 21, line number 27, change "□" to --μ--

At column 21, line number 29, change "□" to --μ--

At column 21, line number 35, change "□" to --μ--

At column 21, line number 37, change "□" to --μ--

At column 21, line number 42, change "□" to --μ--

At column 21, line number 63, change "□M" to --μM-- and "□" to --β--

At column 21, line number 64, change "□" to --μ--

At column 22, line number 1, change "□" to --β--

At column 22, line number 5, change "□" to --μ--

At column 22, line number 7, change "□" to --μ--

At column 22, line number 27, change "□" to --μ-- twice

At column 22, line number 30, change "□" to --μ--

At column 22, line number 38, change "□" to --μ--

At column 22, line number 7, change "□" to --μ--

In the claims:

At column 4, line number 49, change "Gin115" to --Gln11--

The errors were not in the application as filed by applicant; accordingly no fee is required.

Transmitted herewith are five proposed Certificates of Correction effecting such amendments. Note that five certificates were prepared due to the amount of corrections needed and space constraints on the form itself. Patentee respectfully solicits the granting of the requested Certificates of Correction.

Applicant believes no fee is due with this request. However, if a fee is due, please charge our Deposit Account No. 14-0740, under Order No. CV-E-005-PUS from which the undersigned is authorized to draw.

Dated: October 28, 2011

Respectfully submitted,  
Electronic signature: /Harriet M. Strimpel,  
D.Phil./  
Harriet M. Strimpel, D.Phil.  
Registration No.: 37,008  
NEW ENGLAND BIOLABS, INC  
240 County Road  
Ipswich, Massachusetts 01938  
(978) 380-7373  
(978) 356-5094 (Fax)  
Attorney For Applicant